



ASSEMBLY MANUAL

18"x 18" | 24"x 24" | 36"x 36"

fikawallart.com



Thank You for purchasing from Fika Wallart! Not only have you received this amazing product but you have just planted one tree and contributed to a great cause. Remember, one of the greatest benefits of our system is that you can remove and replace your custom wallart prints at will. We hope you enjoy this high quality framing system in your home or office.


ITEM LIST



Wallart Fabric folded/supplied in Plastic Bag




Frame Parts supplied for Frame Size



4 x Frame Corners



4 x Frame Lengths




Assembled Frame Front View

FRAME ASSEMBLY




STEP 1

Join 2 Frame Corners to both sides of 1 Frame Length as shown in **A** and **B**.
Slide into groove then snap in place.



STEP 2

Repeat Step 1 for the second Frame Length. You should have 2 x of the Frame Lengths with 4 x Frame Corners as shown in **C**.




STEP 3

Slide the other Frame Length into the Frame Corner that is attached to the Frame Length as shown in **D**.



STEP 4

Repeat Step 3 with the other Frame Length as shown in **E**.



STEP 5


Attach the second Frame Length from Step 2 to the end of the frame as shown in **F**.



STEP 6



Your Frame should look like **G**.
Your Frame is now ready to attach the Wallart Fabric.

WALLART FABRIC ASSEMBLY



STEP 7

Place Wallart Fabric under the frame, aligning with the Frame Corners **H**.



STEP 8

Start at one corner and tuck the Rubber Beading into the channel as shown in **I**.

Your frame corner should look like **J**. Continue to tuck Beading into all four corners.



STEP 9

Once the Beading has been tucked into all four Frame Corners, start to tuck Beading into the sides of the frame as shown in **K**.



STEP 10

Your wallart frame and fabric should now look like **L**.

Your Fika Wallart system is now installed and is ready to be displayed. Enjoy!

