

ASSEMBLY MANUAL

20"x 16" | 24"x 16" | 24"x 36" | 40"x 20"





Thank You for purchasing from Fika Wallart!

Not ony have you received this amazing product but you have just planted one tree and contributed to a great cause. Remember, one of the greatest benefits of our system is that you can remove and replace your custom wallart prints at will. We hope you enjoy this high quality framing system in your home or office.

ITEM LIST








Wallart Fabric folded/supplied in Plastic Bag


Frame Parts supplied for Frame Size



4 x Frame Corners

2 x Short Frame Lengths

2 x Long Frame Lengths



Assembled Frame Front View

FRAME ASSEMBLY









STEP 1

Join 2 Frame Corners to both sides of 1 Short Frame Length as shown in A and B

Slide into groove then snap in place.

STEP 2


STEP 3

Slide the Long Frame Length into the Frame Corner that is attached to the Short Frame Length as shown in .



STEP 4

Repeat Step 3 with the other Long Frame Length as shown in **E**.



STEP 5

Attach the second Short Frame Length from Step 2 to the end of the frame as shown in **F**.



STEP 6


Your Frame should look like **G**.

Your Frame is now ready to attach the Wallart Fabric.

WALLART FABRIC ASSEMBLY









STEP 7

Place Wallart Fabric under the frame, aligning with the Frame Corners H.

STEP 8

Start at one corner and tuck the Rubber Beading into the channel as shown in 1.

Your frame corner should look like **J**. Continue to tuck Beading into all four corners.

STEP 9

Once the Beading has been tucked into all four Frame Corners, start to tuck Beading into the sides of the frame as shown in **K**.



Your Fika Wallart system is now installed and is ready to be displayed. Enjoy!

STEP 10

Your wallart frame and fabric should now look like ①.



